

BITUMEN HOT AIR WELDER WIN-WP2



The flame-free modified SBS welding machine adopts hot air to realize the welding of modified SBS, which is firm and reliable, and is widely used in non-curing edge banding.

The machine is equipped with customized and specially developed 80mm wide air nozzle, the width of the welding seam can reach between 80-100mm in actual welding, which is enough to meet the required width of the industry for asphalt material welding.

Closed-Loop Control.

This machine is not only able to show the welding temperature and welding speed, the control system adopts closed loop control, regardless of the external voltage change, or upward or downward direction of welding under the condition of the external environment changes, such as negative feedback automatically adjust the setting temperature and speed,



make the welding parameters is more stable, more reliable welding quality.

Small orders accepted.

To meet small batch customized services.

ADVANTAGES

The 80mm wide nozzle meets the width required by the industry specification

The machine is equipped with customized and specially developed 80mm wide air nozzle, the width of the welding seam can reach between 80-100mm in actual welding, which is enough to meet the required width of the industry for asphalt material welding

Intelligent Control system

Microcomputer chip control system which makes operation easily and intuitively.

Efficient Welding Nozzle

Anti-scald protection design with maximizing heat volume and air volume.

Silica gel pressure rollers and metal rollers can be transformed according to different SBS, that balances the pressure and walking, which keeps perfect welding seam..

Accurate Positioning System

It ensures walking straightly without deviation by positioning system.



Model

Voltage

Power

Temperature

Welding speed

Welding seam

Dimensions

Net weight

Motor

Air volume

Certification

Warranty

WIN - WP2

230V

4200W

50~620

1-10m/min

80mm

(length \times width \times height) 543x370x320mm

37kg

Brush

Not adjustable

CE

1 year



Model Voltage

Power

Temperature

Welding speed

Welding seam

Dimensions

Net weight

Motor

Air volume

Certification

Warranty

WIN - WP112

230V

4200W

50~620

1-10m/min

40mm

--01111111

(length \times width \times height) 555x358x304mm

38kg

Brushless

70-100% Infinitely Adjustable

CE

1 year